


**ZF-Verstärker**  
**IF Amplifier**  
**Amplificatore FI**




Kein Anpassungsabgleich bei Austausch der Steckkarte notwendig  
 When replacing the plug-in board, no alignment is necessary  
 Non è necessaria nessuna taratura di adattamento dopo la  
 sostituzione di una scheda ad innesto


# Videotext-Decoder

## Teletext Decoder


### Decoder Televideo

- 
- 1 BITFOLGE JE NACH TASTENDRUCK (BILD TASTE 1) 100µsec/cm
  - 2 ICL-TV-10BIT CLKCK 100µsec/cm
  - 3 FBAS DC +4V AC 1,5VsS 10µsec/cm
  - 4 100µsec/cm
  - 5 100µsec/cm
  - 6 DC +4V/AC 3VsS 50MHz 100nsec/cm
  - 7 10µsec/cm
  - 8 DC +6V/AC 2VsS 5MHz 200nsec/cm
  - 9 DC +4V/AC 3VsS 10µsec/cm
  - 10 DC +3V/AC 4,5VsS 10µsec/cm
  - 11 BEI-TV +8V (BILD VT) 10µsec/cm
  - 12 500nsec/cm
  - 13 500nsec/cm
  - 14 DC +1,2V AC 0,7VsS +3dB 5µsec/cm
  - 15 DC +1,2V AC 0,7VsS +3dB 5µsec/cm
  - 16 DC +1,2V AC 0,7VsS +3dB 5µsec/cm
  - 17 TV DV/VT +1V (BILD MIX) 5µsec/cm
  - 18 SYNC VT DC+2V AC 0,4VsS 10µsec/cm





PRIMARMASSA ACHTUNG. NICHT NETZGETRENNT  
 PRIMARY CHASSIS NOTE: NOT MAINS ISOLATED  
 MASSA PRIMARIA ATTENZIONE: NON ISOLATO DAI SECTORE  
 NI MASSA PRIMARIO. ATTENZIONE: NON SEPARA DALLA RETE  
 NICHT NETZGETRENNTES SCHALTUNGSTEIL  
 CIRCUIT NOT MAINS ISOLATED  
 CIRCUITI NON ISOLATI DAL SECTORE  
 CIRCUITO NON SEPARATO DALLA RETE



### FM 100-22

- CHASSIS 29701-046.25 VERS. B 15°  
 -046.26 VERS. B 17°  
 -046.06 VERS. A 16°  
 -046.69 VERS. A CTI 16°  
 -046.75 VERS. A 16° TINTED  
 -046.79 VERS. A 14°  
 -046.91 VERS. B CTI 15°  
 -046.92 VERS. B CTI 17°  
 -046.99 VERS. B 15° TINTED  
 -046.88 VERS. B 21° TINTED

**Blaupunkt  
 FFS Gerät  
 Chassis FM100-22**

ÄNDERUNGEN VORBEHALTEN  
 SUBJECT TO ALTERATION  
 MODIFICATIONS RESERVEES  
 CON RISERVA DI MODIFICA


PRINTED IN GERMANY

#### VERS. A

GER. MIT NORMAL ROHRIG.  
 SETS WITH NORMAL PICTURE TUBE  
 APP. CON CINESC. NORMALE  
 APPAR. AVEC TUBE CATHOD. NORMAL  
 PH 42-47  
 PH 42-48  
 PH 37-47


#### VERS. B


GER. MIT RECHTECK. ROHRIG. U. WUERFELROHR.  
 SETS WITH FULL SQUARE TUBE AND CUBE CABINET  
 APP. CON CINESC. RETTANG. E. MOBILE A. CUBO.  
 APPAR. AVEC TUBE A COINS CARRES ET BOTTIER. CUBISTE  
 PH 40-46  
 PH 42-47  
 PH 40-48  
 PH 42-48  
 PH 55-48



FARB-RGB 29504-105.21/.23  
 COULEUR / RGB -145.21 FR  
 COULEUR / RVB -185.21

- PM 40-48
- PM 42-48
- PM 45-48
- PM 55-48





**Farb/RGB 29504-105.11**  
**Colour/RGB**  
**Colore/RVB**  
**PM 37-47**





